

INDEX TO VOLUME 4

Author Index

Adler G, Rottunda SJ, Dysken MW: The driver with dementia: a review of the literature. Spring 110-120

Adler G: Reply to Dr. Bahro's letter. Fall 336

Aisen PS: Informatics and geriatric psychiatry. Spring 140-151

Albert SM, Brody EM: When elder care is viewed as child care: significance of elders' cognitive impairment and caregiver burden. Spring 121-130

Alexopoulos G: See Katz IR, Meyers BS

Allen E: See Berman I

Altieri LP: See Sweet RA

Bahro M: The driver with dementia: an integrative therapeutic approach. Fall 335

Bahro M: See Cantillon M

Bazzetta J: See Rapaport MH

Benedict RHB, Goldstein MZ, Derogatis LR: Assessment of mood states in psychiatrically disturbed patients with dementia. Fall 298-310

Berman I, Merson A, Rachov-Pavlov J, Allan E, Davidson M, Losonczy MF: Risperidone in elderly schizophrenic patients: an open-label trial. Spring 173-179

Bettin KM: See Christensen KJ

Billig N, Stockton P, Cohen-Mansfield J: Cognitive and affective changes after cataract surgery in an elderly population. Winter 29-38

Blazer DG: See Hays JC, Koenig HG

Blumstein Z: See Ruskin PE

Boyce AA: See Samuels SC

Brody EM: See Albert SM

Brunswick R: See Cantillon M

Burke WJ: The Clinical Care of the Aged Person: An Interdisciplinary Perspective, edited by Satin DG (book review). Spring 183-184

Caine ED, Lyness JM, Conwell Y: Diagnosis of late-life depression: preliminary studies in primary care settings. Fall (suppl1):S45-S50

Cantillon M, Brunswick R, Molina D, Bahro M: Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Summer 263-267

Challapalli R: See Holmberg SK

Christensen KJ, Bettin KM, Jillk KM, Weldon DT, Mach JR Jr: Neuropsychological tests for monitoring delirium severity in elderly patients. Winter 69-76

Cleary PD: See Levkoff SE

Cohen CI, Teresi J: Predictors of engagement in an urban geriatric psychiatry clinic. Fall 291-297

Cohen CI: See Trappeler B

Cohen GD: Consistency of Care: What Will Be Its Fate Under Managed Care? Fall 277-280; Put the reimbursement with the rhetoric: Medicare, managed care, and mental health (editorial). Spring 93-95; The special case of mental health in later life: the obvious has been overlooked (editorial). Winter 17-23; Time, managed care, and mental health (editorial). Summer 185-187

Cohen-Mansfield J: See Billig N

Conwell Y: Outcomes of depression. Fall (suppl1):S34-S44

Conwell Y, Pearson J, DeRenzo EG: Indirect self-destructive behavior among elderly patients in nursing homes: a research agenda. Spring 152-163

Conwell Y: See Caine ED

Cook JM: See Flint AJ

Cross PS: See Gurland BJ

Dave M: Paroxetine for pathological crying (letter). Spring 180-181

Davidson M: See Berman I

DeRenzo EG: See Conwell Y

Derogatis LR: See Benedict RHB

DiFilippo S: See Samuels SC

Dysken MW: See Adler G

Eryavec G: See Herrmann N

Evans DA: See Levkoff SE

Fasiczka AL: See Pasternak RE, Szanto K

Finkel SI: See Kamath M

Flint AJ, Cook JM, Rabins PV: Why is panic disorder less frequent in late life? Spring 96-109

Frank E: See Miller MD, Pasternak RE, Szanto K

Fuchs Z: See Ruskin PE

Gabriele M: See Meyers BS

Gadde KM: See Krishnan KRR

Goldstein MZ: See Benedict RHB

INDEX TO VOLUME 4

Author Index

Adler G, Rottunda SJ, Dysken MW: The driver with dementia: a review of the literature. Spring 110-120

Adler G: Reply to Dr. Bahro's letter. Fall 336

Aisen PS: Informatics and geriatric psychiatry. Spring 140-151

Albert SM, Brody EM: When elder care is viewed as child care: significance of elders' cognitive impairment and caregiver burden. Spring 121-130

Alexopoulos G: See Katz IR, Meyers BS

Allen E: See Berman I

Altieri LP: See Sweet RA

Bahro M: The driver with dementia: an integrative therapeutic approach. Fall 335

Bahro M: See Cantillon M

Bazzetta J: See Rapaport MH

Benedict RHB, Goldstein MZ, Derogatis LR: Assessment of mood states in psychiatrically disturbed patients with dementia. Fall 298-310

Berman I, Merson A, Rachov-Pavlov J, Allan E, Davidson M, Losonczy MF: Risperidone in elderly schizophrenic patients: an open-label trial. Spring 173-179

Bettin KM: See Christensen KJ

Billig N, Stockton P, Cohen-Mansfield J: Cognitive and affective changes after cataract surgery in an elderly population. Winter 29-38

Blazer DG: See Hays JC, Koenig HG

Blumstein Z: See Ruskin PE

Boyce AA: See Samuels SC

Brody EM: See Albert SM

Brunswick R: See Cantillon M

Burke WJ: The Clinical Care of the Aged Person: An Interdisciplinary Perspective, edited by Satin DG (book review). Spring 183-184

Caine ED, Lyness JM, Conwell Y: Diagnosis of late-life depression: preliminary studies in primary care settings. Fall (suppl1):S45-S50

Cantillon M, Brunswick R, Molina D, Bahro M: Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Summer 263-267

Challapalli R: See Holmberg SK

Christensen KJ, Bettin KM, Jillk KM, Weldon DT, Mach JR Jr: Neuropsychological tests for monitoring delirium severity in elderly patients. Winter 69-76

Cleary PD: See Levkoff SE

Cohen CI, Teresi J: Predictors of engagement in an urban geriatric psychiatry clinic. Fall 291-297

Cohen CI: See Trappeller B

Cohen GD: Consistency of Care: What Will Be Its Fate Under Managed Care? Fall 277-280; Put the reimbursement with the rhetoric: Medicare, managed care, and mental health (editorial). Spring 93-95; The special case of mental health in later life: the obvious has been overlooked (editorial). Winter 17-23; Time, managed care, and mental health (editorial). Summer 185-187

Cohen-Mansfield J: See Billig N

Conwell Y: Outcomes of depression. Fall (suppl1):S34-S44

Conwell Y, Pearson J, DeRenzo EG: Indirect self-destructive behavior among elderly patients in nursing homes: a research agenda. Spring 152-163

Conwell Y: See Caine ED

Cook JM: See Flint AJ

Cross PS: See Gurland BJ

Dave M: Paroxetine for pathological crying (letter). Spring 180-181

Davidson M: See Berman I

DeRenzo EG: See Conwell Y

Derogatis LR: See Benedict RHB

DiFilippo S: See Samuels SC

Dysken MW: See Adler G

Eryavec G: See Herrmann N

Evans DA: See Levkoff SE

Fasiczka AL: See Pasternak RE, Szanto K

Finkel SI: See Kamath M

Flint AJ, Cook JM, Rabins PV: Why is panic disorder less frequent in late life? Spring 96-109

Frank E: See Miller MD, Pasternak RE, Szanto K

Fuchs Z: See Ruskin PE

Gabriele M: See Meyers BS

Gadde KM: See Krishnan KRR

Goldstein MZ: See Benedict RHB

Gurland BJ, Cross PS, Katz S: Epidemiological perspectives on opportunities for treatment of depression. Fall (suppl1):S7-S13

Harris MJ: See Lacro JP

Hartman C: See Rybarczyk B

Haut A: See Rybarczyk B

Hays JC, Schoenfeld DE, Blazer DG: Determinants of poor self-rated health in late life. Summer 188-196

Herrmann N, Eryavec G: Lifetime alcohol abuse in institutionalized World War II veterans. Winter 39-45

Holmberg SK, Tariot PN, Challapalli R: Efficacy of ECT for agitation in dementia. Fall 330-334

Houck PR: See Miller MD

Ippolito L: See Meyers BS

Jeste DV: See Lacro JP, Rapaport MH

Jilk KM: See Christensen KJ

Juul D, Martin MJ, Scheiber SC: The Examination for Added Qualifications in Geriatric Psychiatry. Winter 24-28

Kakuma T: See Meyers BS

Kamath M, Finkel SI, Moran MB: A retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Spring 167-172

Katz IR: On the inseparability of mental and physical health in aged persons: lessons from depression and medical comorbidity (presidential address). Winter 1-16

Katz IR, Alexopoulos GS: Introduction: The Consensus Update Development Conference. Fall (suppl1):S1-S2

Katz IR: See Samuels SC

Katz S: See Gurland BJ

Koenig HG, Blazer DG: Minor depression in late life. Fall (suppl1):S14-S21

Krishnan KRR, Gadde KM: The pathophysiologic basis for late-life depression: imaging studies of the aging brain. Fall (suppl1):S22-S33

Kuczenski R: See Lacro JP

Kupfer DJ: See Pasternak RE, Szanto K

Lacro JP, Kuczenski R, Roznoski M, Warren KA, Harris MJ, Jeste DV: Serum haloperidol levels in older psychotic patients. Summer 229-236

Lazarus LW: See Rybarczyk B

Lebowitz BD: Diagnosis and treatment of depression in late life: an overview of the NIH Consensus Statement. Fall (suppl1):S3-S6

Lebowitz BD: See Martinez RA

Levkoff SE, Liptzin B, Cleary PD, Wetle T, Evans DA, Rowe JW, Lipsitz LA: Subsyndromal delirium. Fall 320-329

Lipsitz B: See Levkoff SE

Liptzin B: See Levkoff SE

Losonczi MF: See Berman I

Lusky A: See Ruskin PE

Lyness JM: See Caine ED

Mach JR Jr: See Christensen KJ

Martin MJ: See Juul D

Martinez RA, Mulsant BH, Meyers BS, Lebowitz BD: Delusional and psychotic depression in late life: clinical research needs (workshop report). Winter 77-84

Mazumdar S: See Miller MD, Szanto K

McAdams L: See Rapaport MH

McCarter JR: Dementia and Cognitive Impairments, edited by Vellas BJ, Albareda JL, Garry PJ, Fitten LJ (book review). Winter 91-92

Mermelstein HT: International Handbook on Services for the Elderly, edited by Jordan I. Kosberg (book review). Fall 337-338

Merson A: See Berman I

Meyers B: Psychiatric intervention to improve primary care diagnosis and treatment of depression. Fall (suppl1):S91-S95

Meyers BS, Gabriele M, Kakuma T, Ippolito L, Alexopoulos G: Anxiety and depression as predictors of recurrence in geriatric depression: a preliminary report. Summer 252-257

Meyers BS: Effectiveness vs. efficacy of antidepressants for the treatment of late-life depression: introduction to a retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Spring 164-166

Meyers BS: See Martinez RA

Miller MD, Paradis CF, Houck PR, Rifai AH, Mazumdar S, Pollock B, Perel JM, Frank E, Reynolds CF III: Chronic medical illness in patients with recurrent major depression. Fall 281-290

Index to Volume 4

Miller MD: *See Pasternak RE, Szanto K*
Modan B: *See Ruskin PE*
Molina D: *See Cantillon M*
Moran MB: *See Kamath M*
Morewitz JH: How and Why We Age, by Hayflick L (book review). Summer 269-271
Mulsant BH: *See Martinez RA, Sweet RA, Szanto K, Zubenko GS*
Niederehe G: Psychosocial treatments with depressed older adults: a research update. Fall (suppl1):S66-S78
Paradis CF: *See Miller MD*
Parmelee PA: *See Samuels SC*
Pasternak RE, Reynolds CF III, Miller MD, Fasiczka AL, Prigerson H, Frank E, Kupfer DJ: Spously bereaved elders with subsyndromal depression: a descriptive analysis and comparison with major depression. Winter 61-68
Pasternak RE: *See Zubenko GS*
Patterson T: *See Rapaport MH*
Pearson J: *See Conwell Y*
Perel JM: *See Miller MD*
Pollock B: *See Miller MD; Sweet RA*
Prigerson H: *See Pasternak RE*
Rabins PV: Barriers to diagnosis and treatment of depression in elderly patients. Fall (suppl1):S79-S83
Rabins PV, Steele CD: A scale to measure impairment in severe dementia and similar conditions. Summer 247-251
Rabins PV: *See Flini AJ*
Rachov-Pavlov J: *See Berman I*
Rapaport MH, Bazzetta J, McAdams L, Patterson T, Jeste DV: Validation of the Scale of Functioning in older out patients with schizophrenia. Summer 218-228
Reynolds CF III: *See Miller MD, Pasternak RE, Szanto K*
Rifai AH: *See Miller MD, Zubenko GS*
Rosen J: *See Sweet RA*
Rottunda SJ: *See Adler G*
Rowe JW: *See Levkoff SE*
Roznoski M: *See Lacro JP*
Ruskin PE, Blumstein Z, Walter-Ginzburg A, Fuchs Z, Lusky A, Novikov I, Modan B: Depressive symptoms among community-dwelling oldest-old residents in Israel. Summer 208-217
Rybarczyk B, Winemiller DR, Lazarus IW, Haut A, Hartman C: Validation of a depression screening measure for stroke inpatients. Spring 131-139
Samuels SC, Katz IR, Parmelee PA, Boyce AA, DiFilippo S: Use of the Hamilton and Montgomery-Asberg depression scales in institutionalized elderly patients. Summer 237-246
Scheiber SC: *See Juul D*
Schneider L: Pharmacologic considerations in the treatment of late-life depression. Fall (suppl1):S51-S65
Schoenfeld DE: *See Hays JC*
Sheikh JI: *See Swales PJ*
Solfrvin JF: *See Swales PJ*
Stack J: *See Szanto K*
Steele CD: *See Rabins PV*
Stockton P: *See Billig N*
Swales PJ, Solfrvin JF, Sheikh JI: Cognitive-behavioral therapy in older panic disorder patients. Winter 46-60
Sweet RA, Mulsant BH, Pollock BG, Rosen J, Altieri LP: Neuroleptic-induced parkinsonism in elderly patients diagnosed with psychotic major depression and dementia of the Alzheimer type. Fall 311-319
Sweet RA: *See Zubenko GS*
Szanto K, Reynolds CF III, Frank E, Stack J, Fasiczka AL, Miller M, Mulsant BH, Mazumdar S, Kupfer DJ: Suicide in elderly depressed patients: is active vs. passive suicidal ideation a clinically valid distinction? Summer 197-207
Tariot PN: *See Holmberg SK*
Teresi J: *See Cohen CI*
Trappier B, Cohen CI: Using fluoxetine in "very old" depressed nursing home residents. Summer 258-262
Walter-Ginzburg A: *See Ruskin PE*
Warren KA: *See Lacro JP*
Weldon DT: *See Christensen KJ*
Westermeyer J: Textbook of Geriatric Neuropsychiatry, edited by Coffey CE, Cummings JL, Lovell MR, Pearson GD (book review). Spring 182-183, Summer 268-269
Wetle T: *See Levkoff SE*
Williams-Russo P: Barriers to diagnosis and treatment of depression in primary care settings. Fall (suppl1):S84-S90

Winemiller DR: See Rybarczyk B

Zubenko GS, Rifai AH, Mulsant BH, Sweet RA, Pasternak RE: Premorbid history of major depression and the depressive syndrome of Alzheimer's disease. Winter 85-90

Subject Index

Agitation

Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Cantillon M, Brunswick R, Molina D, Bahro M. Summer 263-267

Efficacy of ECT for agitation in dementia. Holmberg SK, Tariot PN, Challapalli R. Fall 330-334

Alcohol Abuse/Alcoholism

Lifetime alcohol abuse in institutionalized World War II veterans. Herrmann N, Eryavec G. Winter 39-45

Alzheimer's Disease

Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Cantillon M, Brunswick R, Molina D, Bahro M. Summer 263-267

Premorbid history of major depression and the depressive syndrome of Alzheimer's disease. Zubenko GS, Rifai AH, Mulsant BH, Sweet RA, Pasternak RE. Winter 85-90

When elder care is viewed as child care: significance of elders' cognitive impairment and caregiver burden. Albert SM, Brody EM. Spring 121-130

Antidepressants

Effectiveness vs. efficacy of antidepressants for the treatment of late-life depression: introduction to a retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Meyers BS. Spring 164-166

A retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Kamath M, Finkel SI, Moran MB. Spring 167-172

Using fluoxetine in "very old" depressed nursing home residents. Trappeler B, Cohen CI. Summer 258-262

Anxiety

Anxiety and depression as predictors of recurrence in geriatric depression: a preliminary report. Meyers BS, Gabriele M, Kakuma T, Ippolito L, Alexopoulos G. Summer 252-257

Cognitive-behavioral therapy in older panic disorder patients. Swales PJ, Solfvin JE, Sheikh JI. Winter 46-60

Assessment/Testing

Assessment of mood states in psychiatrically disturbed patients with dementia.

Benedict RHB, Goldstein MZ, Derogatis LR. Fall 298-310

Neuropsychological tests for monitoring delirium severity in elderly patients.

Christensen KJ, Bettin KM, Jilk KM, Weldon DT, Mach JR Jr. Winter 69-76

A scale to measure impairment in severe dementia and similar conditions. Rabins PV, Steele CD. Summer 247-251

Use of the Hamilton and Montgomery-Asberg depression scales in institutionalized elderly patients. Samuels SC, Katz IR, Parmelee PA, Boyce AA, DiFilippo S. Summer 237-246

Validation of a depression screening measure for stroke inpatients. Rybarczyk B, Winemiller DR, Lazarus IW, Haut A, Hartman C. Spring 131-139

Bereavement

Spously bereaved elders with subsyndromal depression: a descriptive analysis and comparison with major depression. Pasternak RE, Reynolds CF III, Miller MD, Fasiczka AL, Prigerson H, Frank E, Kupfer DJ. Winter 61-68

Books Reviewed

The Clinical Care of the Aged Person: An Interdisciplinary Perspective, edited by Satin DG, Burke WJ. Spring 183-184

Dementia and Cognitive Impairments, edited by Velas BJ, Albareda JL, Garry PJ, Fitten LJ, McCarten JR. Winter 91-92

How and Why We Age, by Hayflick L, Morewitz JH. Summer 269-271

International Handbook on Services for the Elderly, edited by Jordan I, Kosberg, Mermelstein HT. Fall 337-338

Textbook of Geriatric Neuropsychiatry, edited by Coffey CE, Cummings JL, Lovell MR, Pearlson GD, Westermeyer J. Spring 182-183, Summer 268-269

Index to Volume 4

Buspirone

Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Cantillon M, Brunswick R, Molina D, Bahro M. Summer 263-267

Caregivers

When elder care is viewed as child care: significance of elders' cognitive impairment and caregiver burden. Albert SM, Brody EM. Spring 121-130

Cognitive-Behavioral Therapy

Cognitive-behavioral therapy in older panic disorder patients. Swales PJ, Solfvin JF, Sheikh JI. Winter 46-60

Comorbid Physical Illness

Chronic medical illness in patients with recurrent major depression. Miller MD, Paradis CF, Houck PR, Rifai AH, Mazumdar S, Pollock B, Perel JM, Frank E, Reynolds CF III. Fall 281-290

Cognitive and affective changes after cataract surgery in an elderly population. Billig N, Stockton P, Cohen-Mansfield J. Winter 29-38

On the inseparability of mental and physical health in aged persons: lessons from depression and medical comorbidity. Katz IR. Winter 1-16

Subsyndromal delirium. Levkoff SE, Liptzin B, Cleary PD, Wetle T, Evans DA, Rowe JW, Lipsitz LA. Fall 320-329

Delirium

Neuropsychological tests for monitoring delirium severity in elderly patients. Christensen KJ, Bettin KM, Jilk KM, Weldon DT, Mach JR Jr. Winter 69-76

Subsyndromal delirium. Levkoff SE, Liptzin B, Cleary PD, Wetle T, Evans DA, Rowe JW, Lipsitz LA. Fall 320-329

Dementia

Assessment of mood states in psychiatrically disturbed patients with dementia. Benedict RHB, Goldstein MZ, Derogatis LR. Fall 298-310

The driver with dementia: a review of the literature. Adler G, Rottunda SJ, Dysken MW. Spring 110-120

The driver with dementia: an integrative therapeutic approach (letter). Bahro M. Fall 335

Efficacy of ECT for agitation in dementia.

Holmberg SK, Tariot PN, Challapalli R. Fall 330-334

Neuroleptic-induced parkinsonism in elderly patients diagnosed with psychotic major depression and dementia of the Alzheimer type. Sweet RA, Mulsant BH, Pollock BG, Rosen J, Altieri LP. Fall 311-319

A scale to measure impairment in severe dementia and similar conditions. Rabins PV, Steele CD. Summer 247-251

When elder care is viewed as child care: significance of elders' cognitive impairment and caregiver burden. Albert SM, Brody EM. Spring 121-130

Dementia and Depression

Assessment of mood states in psychiatrically disturbed patients with dementia. Benedict RHB, Goldstein MZ, Derogatis LR. Fall 298-310

Neuroleptic-induced parkinsonism in elderly patients diagnosed with psychotic major depression and dementia of the Alzheimer type. Sweet RA, Mulsant BH, Pollock BG, Rosen J, Altieri LP. Fall 311-319

Premorbid history of major depression and the depressive syndrome of Alzheimer's disease. Zubenko GS, Rifai AH, Mulsant BH, Sweet RA, Pasternak RE. Winter 85-90

Demographic Studies

Depressive symptoms among community-dwelling oldest-old residents in Israel. Ruskin PE, Blumstein Z, Walter-Ginzburg A, Fuchs Z, Lusky A, Novikov I, Modan B. Summer 208-217

Determinants of poor self-rated health in late life. Hays JC, Schoenfeld DE, Blazer DG. Summer 188-196

Depression

Anxiety and depression as predictors of recurrence in geriatric depression: a preliminary report. Meyers BS, Gabriele M, Kakuma T, Ippolito L, Alexopoulos G. Summer 252-257

Chronic medical illness in patients with recurrent major depression. Miller MD, Paradis CF, Houck PR, Rifai AH, Mazumdar S, Pollock B, Perel JM, Frank E, Reynolds CF III. Fall 281-290

Determinants of poor self-rated health in late life. Hays JC, Schoenfeld DE, Blazer DG. Summer 188-196

Effectiveness vs. efficacy of antidepressants for the treatment of late-life depression: introduction to a retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Meyers BS. Spring 164-166

Neuroleptic-induced parkinsonism in elderly patients diagnosed with psychotic major depression and dementia of the Alzheimer type. Sweet RA, Mulsant BH, Pollock BG, Rosen J, Altieri LP. Fall 311-319

Outcomes of depression. Conwell Y. Fall (suppl1):S34-S44

A retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Kamath M, Finkel SI, Moran MB. Spring 167-172

Suicide in elderly depressed patients: is active vs. passive suicidal ideation a clinically valid distinction? Szanto K, Reynolds CF III, Frank E, Stack J, Fasiczka AL, Miller M, Mulsant BH, Mazumdar S, Kupfer DJ. Summer 197-207

Depression, Delusional/Psychotic

Delusional and psychotic depression in late life: clinical research needs (workshop report). Martincic RA, Mulsant BH, Meyers BS, Lebowitz BD. Winter 77-84

Depression, Diagnosis/Screening

Barriers to diagnosis and treatment of depression in primary care settings. Rabins PV. Fall (suppl1):S79-S83

Depressive symptoms among community-dwelling oldest-old residents in Israel. Ruskin PE, Blumstein Z, Walter-Ginzburg A, Fuchs Z, Lusky A, Novikov I, Modan B. Summer 208-217

Diagnosis and treatment of depression in late life: an overview of the NIH Consensus Statement. Lebowitz BD. Fall (suppl1):S3-S6

Diagnosis of late-life depression: preliminary studies in primary care settings. Caine ED, Lyness JM, Conwell Y. Fall (suppl1):S45-S50

The pathophysiologic basis for late-life depression: imaging studies of the aging brain. Krishnan KRR, Gadde KM. Fall (suppl1):S22-S33

Spously bereaved elders with subsyndromal depression: a descriptive analysis and comparison with major depression. Pasternak RE, Reynolds CF III, Miller MD, Fasiczka AL, Prigerson H, Frank E, Kupfer DJ. Winter 61-68

Use of the Hamilton and Montgomery-Asberg depression scales in institutionalized elderly patients. Samuels SC, Katz IR, Parmelee PA, Boyce AA, DiFilippo S. Summer 237-246

Validation of a depression screening measure for stroke inpatients. Rybarczyk B, Winemiller DR, Lazarus IW, Haut A, Hartman C. Spring 131-139

Depression, Subsyndromal

Depressive symptoms among community-dwelling oldest-old residents in Israel. Ruskin PE, Blumstein Z, Walter-Ginzburg A, Fuchs Z, Lusky A, Novikov I, Modan B. Summer 208-217

Minor depression in late life. Koenig HG, Blazer DG. Fall (suppl1):S14-S21

Spously bereaved elders with subsyndromal depression: a descriptive analysis and comparison with major depression. Pasternak RE, Reynolds CF III, Miller MD, Fasiczka AL, Prigerson H, Frank E, Kupfer DJ. Winter 61-68

Depression Treatment

Barriers to diagnosis and treatment of depression in elderly patients. Rabins PV. Fall (suppl1):S79-S83

Barriers to diagnosis and treatment of depression in primary care settings. Williams-Russo P. Fall (suppl1):S84-S90

Diagnosis and treatment of depression in late life: an overview of the NIH Consensus Statement. Lebowitz BD. Fall (suppl1):S3-S6

Effectiveness vs. efficacy of antidepressants for the treatment of late-life depression: introduction to a retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Meyers BS. Spring 164-166

Index to Volume 4

Pharmacologic considerations in the treatment of late-life depression. Schneider L. Fall (suppl1):S51-S65

Psychiatric intervention to improve primary care diagnosis and treatment of depression. Meyers B. Fall (suppl1):S91-S95

Psychosocial treatments with depressed older adults: a research update. Niederehe G. Fall (suppl1):S66-S78

A retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Kamath M, Finkel SI, Moran MB. Spring 167-172

Driving

The driver with dementia: a review of the literature. Adler G, Rottunda SJ, Dysken MW. Spring 110-120

The driver with dementia: an integrative therapeutic approach (letter). Bahro M. Fall 335

Reply to Dr. Bahro's letter. Adler G. Fall 336

Editorials

Consistency of Care: What Will Be Its Fate Under Managed Care? Cohen GD. Fall 277-280

Introduction: The Consensus Update Development Conference. Katz IR, Alexopoulos GS. Fall (suppl1):S1-S2

Put the reimbursement with the rhetoric: Medicare, managed care, and mental health. Cohen GD. Spring 93-95

The special case of mental health in later life: the obvious has been overlooked. Cohen GD. Winter 17-23

Time, managed care, and mental health. Cohen GD. Summer 185-187

Electroconvulsive Therapy (ECT)

Efficacy of ECT for agitation in dementia. Holmberg SK, Tariot PN, Challapalli R. Fall 330-334

Epidemiology

Epidemiological perspectives on opportunities for treatment of depression. Gurland BJ, Cross PS, Katz S. Fall (suppl1):S7-S13

Why is panic disorder less frequent in late life? Flint AJ, Cook JM, Rabins PV. Spring 96-109

Fluoxetine

Using fluoxetine in "very old" depressed nursing home residents. Trappeler B, Cohen CI. Summer 258-262

Haloperidol

Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Cantillon M, Brunswick R, Molina D, Bahro M. Summer 263-267

Serum haloperidol levels in older psychotic patients. Lacro JP, Kuczenski R, Roznoski M, Warren KA, Harris MJ, Jeste DV. Summer 229-236

Informatics/Automated Data

Informatics and geriatric psychiatry. Aisen PS. Spring 140-151

Inpatients

Paroxetine for pathological crying (letter). Dave M. Spring 180-181

Use of the Hamilton and Montgomery-Asberg depression scales in institutionalized elderly patients. Samuels SC, Katz IR, Parmelee PA, Boyce AA, DiFilippo S. Summer 237-246

Letters

The driver with dementia: an integrative therapeutic approach. Bahro M. Fall 335

Paroxetine for pathological crying. Dave M. Spring 180-181

Reply to Dr. Bahro's letter. Fall 336

Longitudinal Assessment

Anxiety and depression as predictors of recurrence in geriatric depression: a preliminary report. Meyers BS, Gabriele M, Kakuma T, Ippolito L, Alexopoulos G. Summer 252-257

Lifetime alcohol abuse in institutionalized World War II veterans. Herrmann N, Eryavec G. Winter 39-45

Outcomes of depression. Conwell Y. Fall (suppl1):S34-S44

Predictors of engagement in an urban geriatric psychiatry clinic. Cohen CI, Teresi J. Fall 291-297

Premorbid history of major depression and the depressive syndrome of Alzheimer's disease. Zubenko GS, Rifai AH, Mulsant BH, Sweet RA, Pasternak RE. Winter 85-90

Long-Term Care

When elder care is viewed as child care: significance of elders' cognitive impairment and caregiver burden. Albert SM, Brody EM. Spring 121-130

MRI/Imaging Studies

The pathophysiologic basis for late-life depression: imaging studies of the aging brain. Krishnan KRR, Gadde KM. Fall (suppl1):S22-S33

Neuroleptics

Neuroleptic-induced parkinsonism in elderly patients diagnosed with psychotic major depression and dementia of the Alzheimer type. Sweet RA, Mulsant BH, Pollock BG, Rosen J, Altieri LP. Fall 311-319

NIH Consensus Update Development Conference (on Late-Life Depression)

Barriers to diagnosis and treatment of depression in elderly patients. Rabins PV. Fall (suppl1):S79-S83

Barriers to diagnosis and treatment of depression in primary care settings. Williams-Russo P. Fall (suppl1):S84-S90

Diagnosis and treatment of depression in late life: an overview of the NIH Consensus Statement. Lebowitz BD. Fall (suppl1):S3-S6

Diagnosis of late-life depression: preliminary studies in primary care settings. Caine ED, Lyness JM, Conwell Y. Fall (suppl1):S45-S50

Epidemiological perspectives on opportunities for treatment of depression. Gurland BG, Cross PS, Katz S. Fall (suppl1):S7-S13

Introduction: The Diagnosis and Treatment of Late-Life Depression: Consensus Update Conference. Katz IR, Alexopoulos GS. Fall (suppl1):S1-S2

Minor depression in late life. Koenig HG, Blazer DG. Fall (suppl1):S14-S21

The pathophysiologic basis for late-life depression: imaging studies of the aging brain. Krishnan KRR, Gadde KM. Fall (suppl1):S22-S33

Pharmacologic considerations in the treatment of late-life depression. Schneider L. Fall (suppl1):S51-S65

Psychiatric intervention to improve primary care diagnosis and treatment of depression. Meyers B. Fall (suppl1):S91-S95

Psychosocial treatments with depressed older adults: a research update. Niederehe G. Fall (suppl1):S66-S78

Nursing Homes

Buspirone vs. haloperidol: a double-blind trial for agitation in a nursing home population with Alzheimer's disease. Cantillon M, Brunswick R, Molina D, Bahro M. Summer 263-267

Using fluoxetine in "very old" depressed nursing home residents. Trappler B, Cohen CI. Summer 258-262

Outpatients

Chronic medical illness in patients with recurrent major depression. Miller MD, Paradis CF, Houck PR, Rifai AH, Mazumdar S, Pollock B, Perel JM, Frank E, Reynolds CF III. Fall 281-290

Predictors of engagement in an urban geriatric psychiatry clinic. Cohen CI, Teresi J. Fall 291-297

Panic Disorder

Cognitive-behavioral therapy in older panic disorder patients. Swales PJ, Solvvin JF, Sheikh JI. Winter 46-60

Why is panic disorder less frequent in late life? Flint AJ, Cook JM, Rabins PV. Spring 96-109

Parkinsonism

Neuroleptic-induced parkinsonism in elderly patients diagnosed with psychotic major depression and dementia of the Alzheimer type. Sweet RA, Mulsant BH, Pollock BG, Rosen J, Altieri LP. Fall 311-319

Paroxetine

Paroxetine for pathological crying (letter). Dave M. Spring 180-181

Pharmacologic Treatment

Pharmacologic considerations in the treatment of late-life depression. Schneider L. Fall (suppl1):S51-S65

Post-Surgical Changes

Cognitive and affective changes after cataract surgery in an elderly population. Billig N, Stockton P, Cohen-Mansfield J. Winter 29-38

Index to Volume 4

Neuropsychological tests for monitoring delirium severity in elderly patients. Christensen KJ, Bettin KM, Jilk KM, Weldon DT, Mach JR Jr. Winter 69-76

Presidential Address

On the inseparability of mental and physical health in aged persons: lessons from depression and medical comorbidity. Katz IR. Winter 1-16

Primary Care

Barriers to diagnosis and treatment of depression in primary care settings.

Williams-Russo P. Fall (suppl1):S84-S90

Diagnosis of late-life depression: preliminary studies in primary care settings. Caine ED, Lyness JM, Conwell Y. Fall (suppl1):S45-S50

Psychiatric intervention to improve primary care diagnosis and treatment of depression. Meyers B. Fall (suppl1):S91-S95

Proceedings

Scientific proceedings of the ninth annual meeting and symposium of the American Academy for Geriatric Psychiatry. Fall 339-386

Professional Qualifications

The Examination for Added Qualifications in Geriatric Psychiatry. Juul D, Martin MJ, Scheiber SC. Winter 24-28

Psychosocial Treatment

Psychosocial treatments with depressed older adults: a research update.

Niederehe G. Fall (suppl1):S66-S78

Public Health Policy Issues

Consistency of Care: What Will Be Its Fate Under Managed Care? (editorial) Cohen GD. Fall 277-280

On the inseparability of mental and physical health in aged persons: lessons from depression and medical comorbidity (presidential address). Katz IR. Winter 1-16

Put the reimbursement with the rhetoric: Medicare, managed care, and mental health (editorial). Cohen GD. Spring 93-95

The special case of mental health in later life: the obvious has been overlooked (editorial). Cohen GD. Winter 17-23

Time, managed care, and mental health (editorial). Cohen GD. Summer 185-187

Racial/Multicultural Factors

Depressive symptoms among

community-dwelling oldest-old residents in Israel. Ruskin PE, Blumstein Z, Walter-Ginzburg A, Fuchs Z, Lusky A, Novikov I, Modan B. Summer 208-217

Research Methods, Issues

Delusional and psychotic depression in late life: clinical research needs (workshop report). Martinez RA, Mulsant BH, Meyers BS, Lebowitz BD. Winter 77-84

Indirect self-destructive behavior among elderly patients in nursing homes: a research agenda. Conwell Y, Pearson J, DeRenzo EG. Spring 152-163

Informatics and geriatric psychiatry. Aisen PS. Spring 140-151

Review Articles

The driver with dementia: a review of the literature. Adler G, Rottunda SJ, Dysken MW. Spring 110-120

Why is panic disorder less frequent in late life? Flint AJ, Cook JM, Rabins PV. Spring 96-109

Risperidone

Risperidone in elderly schizophrenic patients: an open-label trial. Berman I, Merson A, Rachov-Pavlov J, Allan E, Davidson M, Losonczy MF. Spring 173-179

Schizophrenia

Validation of the Scale of Functioning in older outpatients with schizophrenia. Rapaport MH, Bazzetta J, McAdams L, Patterson T, Jeste DV. Summer 218-228

Schizophrenia/Psychosis

Pharmacotherapy

Risperidone in elderly schizophrenic patients: an open-label trial. Berman I, Merson A, Rachov-Pavlov J, Allan E, Davidson M, Losonczy MF. Spring 173-179

Serum haloperidol levels in older psychotic patients. Lacro JP, Kuczynski R, Roznoski M, Warren KA, Harris MJ, Jeste DV. Summer 229-236

Screening Tests

Validation of a depression screening measure for stroke inpatients. Rybarczyk B, Winemiller DR, Lazarus IW, Haut A, Hartman C. Spring 131-139

Validation of the Scale of Functioning in older outpatients with schizophrenia.

Rapaport MH, Bazzetta J, McAdams L, Patterson T, Jeste DV. Summer 218-228

Side Effects

Effectiveness vs. efficacy of antidepressants for the treatment of late-life depression: introduction to a retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Meyers BS. Spring 164-166

A retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Kamath M, Finkel SI, Moran MB. Spring 167-172

Stroke

Validation of a depression screening measure for stroke inpatients. Rybarczyk B, Winemiller DR, Lazarus IW, Haut A, Hartman C. Spring 131-139

Suicide, Suicidal Ideation

Indirect self-destructive behavior among elderly patients in nursing homes: a research agenda. Conwell Y, Pearson J, DeRenzo EG. Spring 152-163

Suicide in elderly depressed patients: is active vs. passive suicidal ideation a clinically valid distinction? Szanto K, Reynolds CF III, Frank E, Stack J, Fasiczka AL, Miller M, Mulsant BH, Mazumdar S, Kupfer DJ. Summer 197-207

Tricyclics vs. Selective Serotonin Reuptake Inhibitors

Effectiveness vs. efficacy of antidepressants for the treatment of late-life depression: introduction to a retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Meyers BS. Spring 164-166

A retrospective chart review of antidepressant use, effectiveness, and adverse effects in adults age 70 and older. Kamath M, Finkel SI, Moran MB. Spring 167-172

Veterans

Lifetime alcohol abuse in institutionalized World War II veterans. Herrmann N, Eryavec G. Winter 39-45

Workshop Reports

Delusional and psychotic depression in late life: clinical research needs. Martinez RA, Mulsant BH, Meyers BS, Lebowitz BD. Winter 77-84

Indirect self-destructive behavior among elderly patients in nursing homes: a research agenda. Conwell Y, Pearson J, DeRenzo EG. Spring 152-163